

## Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 12 July 2018

Revision: 12 July 2018

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- **1.1 Product identifier**
  - Trade name: Rokide MBC Flame Spraying Rods
  - Article number: 910029CA, 910039BA
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
  - Application of the substance / the mixture: Preparation of coatings
  - Uses advised against: No further relevant information available.
- **1.3 Details of the supplier of the Safety Data Sheet**
  - Manufacturer/Supplier:  
Saint Gobain Coating Solutions  
One New Bond Street  
Worcester, MA 01615-0137  
(508) 795-5000  
CeramicMaterials@saint-gobain.com
- **1.4 Emergency telephone number:**
  - (800)255-3924 (North America)
  - +1 (813)248-0585 (International)
  - 1-300-954-583 (Australia)
  - 0-800-591-6042 (Brazil)
  - 400-120-0751 (China)
  - 000-800-100-4086 (India)
  - 01-800-099-0731 (Mexico)

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
  - Classification according to Regulation (EC) No 1272/2008  
The product is not classified as hazardous according to OSHA GHS regulations within the United States.  
The product is not classified as hazardous according to the Globally Harmonized System (GHS).  
The product is not classified as hazardous according to the CLP regulation.
- **2.2 Label elements**
  - Labelling according to Regulation (EC) No 1272/2008  
This product does not have a classification according to the CLP regulation.  
The product is not classified as hazardous according to OSHA GHS regulations within the United States.
  - Hazard pictograms Not Regulated
  - Signal word Not Regulated
  - Hazard statements Not Regulated.
  - Precautionary statements Not Regulated.
  - Additional information:  
Safety data sheet available on request.
  - NFPA ratings (scale 0 - 4)

(Cont'd. on page 2)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 12 July 2018

Revision: 12 July 2018

**Trade name: Rokide MBC Flame Spraying Rods**

(Cont'd. from page 1)


**· HMIS-ratings (scale 0 - 4)**


- **2.3 Other hazards** There are no other hazards not otherwise classified that have been identified.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

**· 3.2 Mixtures**
**· Components:**

CAS: 1308-38-9 EINECS: 215-160-9 Reg.nr.: 01-2119433951-39-XXXX	Chromium (III) oxide substance with a Community workplace exposure limit	50-100%
CAS: 9003-35-4 NLP: 500-005-4 Reg.nr.: 01-2120735197-51-XXXX	Formaldehyde, oligomeric reaction products with phenol ⚠ Eye Irrit. 2, H319; Skin Sens. 1A, H317	2,5-10%
CAS: 13983-17-0 EINECS: 237-772-5	Wollastonite (Ca(SiO <sub>3</sub> ))	2,5-10%
CAS: 14807-96-6 EINECS: 238-877-9 Reg.nr.: 01-2120140278-58-XXXX	Talc substance with a Community workplace exposure limit	2,5-10%
CAS: 14808-60-7 EINECS: 238-878-4	quartz substance with a Community workplace exposure limit	≤ 2,5%
CAS: 108-95-2 EINECS: 203-632-7 Index number: 604-001-00-2 Reg.nr.: 01-2119471329-32-XXXX	phenol ⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 ⚠ Muta. 2, H341; STOT RE 2, H373 ⚠ Skin Corr. 1B, H314	≤ 2,5%
CAS: 100-97-0 EINECS: 202-905-8 Index number: 612-101-00-2 Reg.nr.: 01-2119474895-20-XXXX	methenamine ⚠ Flam. Sol. 2, H228 ⚠ Skin Sens. 1, H317	≤ 2,5%

**· Additional information:**

There is no exposure to hazardous ingredients during normal use.  
For the listed ingredient(s), the identity and/or exact percentages are being withheld as a trade secret.  
Non-classification as a carcinogen is based on non-respirable form of product.

(Cont'd. on page 3)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 12 July 2018

Revision: 12 July 2018

**Trade name: Rokide MBC Flame Spraying Rods**

(Cont'd. from page 2)

## SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Adverse health effects are not reasonably expected from normal use of product.
- **After inhalation:**  
Unlikely route of exposure.  
Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Generally the product does not irritate the skin.  
Seek medical treatment in case of complaints.
- **After eye contact:**  
Remove contact lenses if worn, if possible.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Unlikely route of exposure.  
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**  
Slight irritant effect on skin and mucous membranes.  
Slight irritant effect on eyes.  
Nausea in case of ingestion.  
Gastric or intestinal disorders when ingested.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No special measures required.

## SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
The product is not flammable.  
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** None.
- **5.2 Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.

## SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Ensure adequate ventilation  
Avoid formation of dust.  
Do not breathe dust.
- **6.2 Environmental precautions** Avoid release to the environment.
- **6.3 Methods and material for containment and cleaning up**

(Cont'd. on page 4)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 12 July 2018

Revision: 12 July 2018

**Trade name: Rokide MBC Flame Spraying Rods**

(Cont'd. from page 3)

- Pick up mechanically.  
Send for recovery or disposal in suitable receptacles.
- **6.4 Reference to other sections**
  - See Section 7 for information on safe handling.
  - See Section 8 for information on personal protection equipment.
  - See Section 13 for disposal information.

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
- Use only in well ventilated areas.
- Prevent formation of dust.
- Any unavoidable deposit of dust must be regularly removed.
- Use proper precautions around molten material.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:**
- Storage area should be dry and well-ventilated.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

**1308-38-9 Chromium (III) oxide**

IOELV (EU)	Long-term value: 2 mg/m <sup>3</sup> as Cr
EL (Canada)	Long-term value: 0,5 mg/m <sup>3</sup> as Cr
WEL (Great Britain)	Long-term value: 0,5 mg/m <sup>3</sup> as Cr
OEL (Ireland)	Long-term value: 2 mg/m <sup>3</sup> as Cr; IOELV
PEL (USA)	Long-term value: 0,5 mg/m <sup>3</sup> as Cr
REL (USA)	Long-term value: 0,5 mg/m <sup>3</sup> as Cr; See Pocket Guide App. C
TLV (USA)	Long-term value: 0,003 mg/m <sup>3</sup> as Cr; inhalable; soluble comp.: DSEN;RSEN

**14807-96-6 Talc**

EL (Canada)	Long-term value: 2 *0,1 f/cc mg/m <sup>3</sup> resp. *if contains asbestos : ACGIH A1, IARC 1
EV (Canada)	Long-term value: 2* mg/m <sup>3</sup> , 2 f/cc ppm

(Cont'd. on page 5)

## Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 12 July 2018

Revision: 12 July 2018

**Trade name: Rokide MBC Flame Spraying Rods**

(Cont'd. from page 4)

WEL (Great Britain)	*respirable Long-term value: 1 mg/m <sup>3</sup>
OEL (Ireland)	Long-term value: 10* 0,8** mg/m <sup>3</sup> *total inhalable **respirable dust
PEL (USA)	Long-term value: 20 mppcf ppm (containing <1% Quartz)
REL (USA)	Long-term value: 2* mg/m <sup>3</sup> *respirable dust; and <1% Quartz
TLV (USA)	Long-term value: 2* mg/m <sup>3</sup> *as respirable fraction; E

**14808-60-7 quartz**

BOELV (EU)	Long-term value: 0,1* mg/m <sup>3</sup> *respirable fraction
EL (Canada)	Long-term value: 0,025 mg/m <sup>3</sup> ACGIH A2; IARC 1
EV (Canada)	Long-term value: 0,10* mg/m <sup>3</sup> *respirable fraction
WEL (Great Britain)	Long-term value: 0,1 mg/m <sup>3</sup> respirable dust, averaged over 8 hours
OEL (Ireland)	Long-term value: 0,1 mg/m <sup>3</sup>
PEL (USA)	Long-term value: 0,05* mg/m <sup>3</sup> *resp. dust; 30mg/m <sup>3</sup> /SiO <sub>2</sub> +2
REL (USA)	Long-term value: 0,05* mg/m <sup>3</sup> *respirable dust; See Pocket Guide App. A
TLV (USA)	Long-term value: 0,025* mg/m <sup>3</sup> *as respirable fraction

**108-95-2 phenol**

IOELV (EU)	Short-term value: 16 mg/m <sup>3</sup> , 4 ppm Long-term value: 8 mg/m <sup>3</sup> , 2 ppm Skin
EL (Canada)	Long-term value: 5 ppm Skin
EV (Canada)	Long-term value: 19 mg/m <sup>3</sup> , 5 ppm Skin
WEL (Great Britain)	Short-term value: 16 mg/m <sup>3</sup> , 4 ppm Long-term value: 7,8 mg/m <sup>3</sup> , 2 ppm Sk
OEL (Ireland)	Short-term value: 16 mg/m <sup>3</sup> , 4 ppm Long-term value: 8 mg/m <sup>3</sup> , 2 ppm Sk, IOELV
PEL (USA)	Long-term value: 19 mg/m <sup>3</sup> , 5 ppm Skin
REL (USA)	Long-term value: 19 mg/m <sup>3</sup> , 5 ppm Ceiling limit: 60* mg/m <sup>3</sup> , 15,6* ppm

(Cont'd. on page 6)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 12 July 2018

Revision: 12 July 2018

**Trade name: Rokide MBC Flame Spraying Rods**

(Cont'd. from page 5)

TLV (USA)	*15-min; Skin Long-term value: 19 mg/m <sup>3</sup> , 5 ppm Skin; BEI
<b>100-97-0 methenamine</b>	
EV (Canada)	Short-term value: 2 mg/m <sup>3</sup> , 0,35 ppm
· <b>Ingredients with biological limit values:</b>	
<b>108-95-2 phenol</b>	
BEI (USA)	250 mg/g creatinine Medium: urine Time: end of shift Parameter: Phenol with hydrolysis (background, nonspecific)

## · 8.2 Exposure controls

· **Engineering measures** Provide adequate ventilation.

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid close or long term contact with the skin.

Avoid contact with the eyes.

Avoid contact with the liquefied material.

Do not breathe dust.

· **Respiratory protection:**

Not required under normal conditions of use.

Use respiratory protection when grinding or cutting material.

For spills, respiratory protection may be advisable.

Particulate mask should filter at least 99% of airborne particles.

· **Protection of hands:**

Wear gloves for the protection against mechanical hazards according to NIOSH or EN 388.

· **Eye protection:**



Safety glasses

· **Body protection:**

Not required under normal conditions of use.

Protection may be required for spills.

· **Limitation and supervision of exposure into the environment:** Avoid release to the environment.

· **Risk management measures:** No further relevant information available.

## SECTION 9: Physical and chemical properties

### · 9.1 Information on basic physical and chemical properties

· **Appearance**

**Form:** Solid material

**Colour:** Dark green

(Cont'd. on page 7)

## Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 12 July 2018

Revision: 12 July 2018

**Trade name: Rokide MBC Flame Spraying Rods**

(Cont'd. from page 6)

· <b>Odour:</b>	Odourless
· <b>Odour threshold:</b>	Not determined.
· <b>pH-value:</b>	Not applicable.
· <b>Melting point/freezing point:</b>	2000 °C (3.632 °F)
· <b>Initial boiling point and boiling range:</b>	Not determined.
· <b>Flash point:</b>	Not applicable.
· <b>Flammability (solid, gas):</b>	Not determined.
· <b>Auto/Self-ignition temperature:</b>	Not determined.
· <b>Decomposition temperature:</b>	Not determined.
· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Explosion limits</b>	
Lower:	Not determined.
Upper:	Not determined.
· <b>Oxidising properties</b>	Non-oxidising.
· <b>Vapour pressure:</b>	Not determined.
· <b>Density:</b>	
Relative density:	Not determined.
Vapour density:	Not applicable.
Evaporation rate:	Not applicable.
· <b>Solubility in / Miscibility with water:</b>	Insoluble.
· <b>Partition coefficient: n-octanol/water:</b>	Not determined.
· <b>Viscosity</b>	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· <b>9.2 Other information</b>	No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with strong acids and alkali.
- **10.4 Conditions to avoid** Avoid acids.
- **10.5 Incompatible materials** Oxidisers, strong bases, strong acids
- **10.6 Hazardous decomposition products** Toxic metal oxide smoke

### SECTION 11: Toxicological information

(Cont'd. on page 8)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 12 July 2018

Revision: 12 July 2018

**Trade name: Rokide MBC Flame Spraying Rods**

(Cont'd. from page 7)

· **11.1 Information on toxicological effects**

· **Acute toxicity:** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

**108-95-2 phenol**

Oral	LD50	270 mg/kg (mouse) 317 mg/kg (rat)
Dermal	LD50	669 mg/kg (rat) 850 mg/kg (rabbit)
Inhalative	LC50/4h	316 mg/m <sup>3</sup> (rat)

· **Primary irritant effect**

· **Skin corrosion/irritation:** Based on available data, the classification criteria are not met.

· **Serious eye damage/irritation:** Based on available data, the classification criteria are not met.

· **Respiratory or skin sensitisation:** Based on available data, the classification criteria are not met.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer):**

14808-60-7 | quartz

1

· **Probable routes of exposure:**

Ingestion.

Eye contact.

Skin contact.

· **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

· **Carcinogenicity:**

Contains known or suspect carcinogens when inhaled. Product is in non-inhalable form and is nonclassifiable as a carcinogen.

· **Reproductive toxicity:** Based on available data, the classification criteria are not met.

· **STOT-single exposure:** Based on available data, the classification criteria are not met.

· **STOT-repeated exposure:** Based on available data, the classification criteria are not met.

· **Aspiration hazard:** Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **12.2 Persistence and degradability**

Inorganic product, is not eliminable from water by means of biological cleaning processes.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:** Generally not hazardous for water

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Other adverse effects** No further relevant information available.

(Cont'd. on page 9)



# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 12 July 2018

Revision: 12 July 2018

**Trade name: Rokide MBC Flame Spraying Rods**

(Cont'd. from page 8)

## SECTION 13: Disposal considerations

### · 13.1 Waste treatment methods

#### · Recommendation

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

#### · Uncleaned packaging:

· **Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

### · 14.1 UN-Number

· DOT, ADR, IMDG, IATA Not Regulated

### · 14.2 UN proper shipping name

· DOT, ADR, IMDG, IATA Not Regulated

### · 14.3 Transport hazard class(es)

· DOT, ADR, IMDG, IATA

· Class Not Regulated

### · 14.4 Packing group

· DOT, ADR, IMDG, IATA Not Regulated

### · 14.5 Environmental hazards:

· Marine pollutant: No

### · 14.6 Special precautions for user

Not applicable.

### · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

## SECTION 15: Regulatory information

### · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· United States (USA)

· SARA

#### · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

#### · Section 355 (extremely hazardous substances):

108-95-2 phenol

#### · Section 313 (Specific toxic chemical listings):

(Cont'd. on page 10)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 12 July 2018

Revision: 12 July 2018

**Trade name: Rokide MBC Flame Spraying Rods**

(Cont'd. from page 9)

1308-38-9	Chromium (III) oxide
-----------	----------------------

108-95-2	phenol
----------	--------

**· TSCA (Toxic Substances Control Act):**

All ingredients are listed.

**· Proposition 65 (California):**
**· Chemicals known to cause cancer:**

Reference to chemical component(s) listed below are based on unbound respirable particles and are not generally applicable to product as supplied.

14807-96-6	Talc
------------	------

14808-60-7	quartz
------------	--------

**· Chemicals known to cause developmental toxicity for females:**

None of the ingredients are listed.

**· Chemicals known to cause developmental toxicity for males:**

None of the ingredients are listed.

**· Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

**· EPA (Environmental Protection Agency)**

1308-38-9	Chromium (III) oxide	D, CBD
-----------	----------------------	--------

108-95-2	phenol	D, I
----------	--------	------

**· IARC (International Agency for Research on Cancer)**

14808-60-7	quartz	1
------------	--------	---

**· Canadian Domestic Substances List (DSL) (Substances not listed)**

All ingredients are listed.

**· Other regulations, limitations and prohibitive regulations**
**· Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients are listed.

**· 15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**· Relevant phrases**

H228 Flammable solid.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H341 Suspected of causing genetic defects.

(Cont'd. on page 11)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 12 July 2018

Revision: 12 July 2018

**Trade name: Rokide MBC Flame Spraying Rods**

(Cont'd. from page 10)

H373 May cause damage to the kidneys, the liver, the skin and the nervous system through prolonged or repeated exposure.

**Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 NFPA: National Fire Protection Association (USA)  
 HMIS: Hazardous Materials Identification System (USA)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bio-accumulable, Toxic  
 SVHC: Substances of Very High Concern  
 vPvB: very Persistent and very Bioaccumulative  
 Flam. Sol. 2: Flammable solids – Category 2  
 Acute Tox. 3: Acute toxicity – Category 3  
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
 Skin Sens. 1: Skin sensitisation – Category 1  
 Skin Sens. 1A: Skin sensitisation – Category 1A  
 Muta. 2: Germ cell mutagenicity – Category 2  
 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

**Sources**

Website, European Chemicals Agency ([echa.europa.eu](http://echa.europa.eu))  
 Website, US EPA Substance Registry Services ([ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do](http://ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do))  
 Website, Chemical Abstracts Registry, American Chemical Society ([www.cas.org](http://www.cas.org))  
 Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6  
 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaassen, Curtis D., ed., ISBN: 978-0-07-176923-5.  
 Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: [www.chemtelinc.com](http://www.chemtelinc.com)